



LED Showcase Lamp



Standard



Accessories

N/A

Features




SPECIFICATIONS

Product Code		CL-720T-MINI- X-HP-Y-927	CL-720T-MINI- X-HP-Y-930	CL-720T-MINI- X-HP-Y-940	CL-720T-MINI- X-HP-Y-960	
Luminaire	Finish (X)	Black	White	Aluminium		
	Material	Aluminium				
	Reflector	-				
	Dimension : LxWxH(mm)	Dia. 17 x 47(H)mm				
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K	
	Color Rendering Index (CRI)	Ra≥90		Ra≥80		
	Luminous Flux	75lm / W				
Beam Angle	(Y)	10D	20D	30D	45D	60D
Electrical	Input	24Vdc				
	LED Power	1W				
Driver	Non-Dimmable	on / off				
	Dimmable	-				
Protection	Protection Rating (IP)	IP20				
Accessories		-				

Ordering example : CL-720T-MINI-**B**-HP-**10D**-927 (Black, **10D** beam angle, Ra90, 2700K)

LED Showcase Lamp



Standard



Accessories

N/A

Features




SPECIFICATIONS

Product Code		CL-720C-X-HP-Y-927	CL-720C-X-HP-Y-930	CL-720C-X-HP-Y-940	CL-720C-X-HP-Y-960
Luminaire	Finish (X)	Black	White	Aluminium	
	Material	Aluminium			
	Reflector	-			
	Dimension : LxWxH(mm)	Dia. 31 x 75(H)mm			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80	
	Luminous Flux	75lm / W			
Beam Angle	(Y)	20D	40D	60D	
Electrical	Input	24Vdc			
	LED Power	3W			
Driver	Non-Dimmable	on / off			
	Dimmable	1-10V			
Protection	Protection Rating (IP)	IP20			
Accessories		-			

Ordering example : CL-720C-B-HP-20D-927 (Black, 20D beam angle, Ra80, 2700K)

LED Showcase Lamp



Standard



Accessories

N/A

Features



Ø11mm



Chrome




Adjustable

SPECIFICATIONS

Product Code		CL-901-X-HP-Y-830	CL-901-X-HP-Y-840	CL-901-X-HP-Y-860
Luminaire	Finish (X)	Chorme		
	Material	Aluminium & Steel		
	Reflector	-		
	Dimension : LxWxH(mm)	34 x 100-300(H)mm (Adjustable)		
Light Source	Color Temperature (CCT)	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80
	Luminous Flux	75lm / W		
Beam Angle	(Y)	20D	40D	60D
Electrical	Input	Constant Current (350mA)		
	LED Power	2W		
Driver	Non-Dimmable	on / off		
	Dimmable	1-10V		
Protection	Protection Rating (IP)	IP44		
Accessories		-		

Ordering example : CL-901-C-HP-20D-930 (Chorme, 20D beam angle, Ra90, 3000K)

LED Showcase Lamp



Standard



Accessories

N/A

Features



Ø11mm



Chrome




Adjustable

SPECIFICATIONS

Product Code		CL-902S3-X-HP-Y-927	CL-902S3-X-HP-Y-930	CL-902S3-X-HP-Y-940	CL-902S3-X-HP-Y-960
Luminaire	Finish (X)	Chorme			
	Material	Aluminium & Steel			
	Reflector	-			
	Dimension : LxWxH(mm)	20 x 32 x 100-300(H)mm (Adjustable)			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80	
	Luminous Flux	75lm / W			
Beam Angle	(Y)	20D	40D	60D	
Electrical	Input	24Vdc			
	LED Power	1W			
Driver	Non-Dimmable	on / off			
	Dimmable	1-10V			
Protection	Protection Rating (IP)	IP44			
Accessories		-			

Ordering example : CL-902S3-C-HP-20D-927 (Chorme, 20D beam angle, Ra90, 2700K)

LED Showcase Lamp



Standard

N/A

Accessories

N/A

Features



ø27mm

Aluminum
Black

SPECIFICATIONS

Product Code		CL-839-X-HP-Y-927	CL-839-X-HP-Y-930	CL-839-X-HP-Y-940	CL-839-X-HP-Y-960
Luminaire	Finish (X)	Black		Aluminum	
	Material	Aluminium			
	Reflector	-			
	Dimension : LxWxH(mm)	Dia. 30 x 49(H)mm			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80	
	Luminous Flux	75lm / W			
Beam Angle	(Y)	15D	30D	45D	60D
Electrical	Input	24Vdc			
	LED Power	1W			
Driver	Non-Dimmable	on / off			
	Dimmable	-			
Protection	Protection Rating (IP)	IP20			
Accessories		-			

Ordering example : CL-839-B-HP-15D-927 (Black, 15D beam angle, Ra90, 2700K)

LED Showcase Lamp



Standard



Accessories

N/A

Features



Chrome

Black


Aluminum

SPECIFICATIONS

Product Code		CL-990-X-HP-Y-827	CL-990-X-HP-Y-830	CL-990-X-HP-Y-840	CL-990-X-HP-Y-850
Luminaire	Finish (X)	Chorme	Black	Aluminum	
	Material	Aluminium & Steel			
	Reflector	-			
	Dimension : LxWxH(mm)	15 x 8 x 200-300(H)mm			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	5000K
	Color Rendering Index (CRI)	Ra≥80			
	Luminous Flux	75lm / W			
Beam Angle	(Y)	60D			
Electrical	Input	Constant Current (350mA)			
	LED Power	5W			
Driver	Non-Dimmable	on / off			
	Dimmable	1-10V			
Protection	Protection Rating (IP)	IP20			
Accessories		-			

Ordering example : CL-990-C-HP-60D-827 (Chorem, 60D beam angle, Ra80, 2700K)

LED Showcase Lamp



Standard



Accessories

N/A

Features



Chrome

Black

Aluminum


Ø14mm

SPECIFICATIONS

Product Code		CL-993-X-HP-Y-927	CL-993-X-HP-Y-930	CL-993-X-HP-Y-940	CL-993-X-HP-Y-960
Luminaire	Finish (X)	Chorme	Black	Aluminum	
	Material	Aluminium & Steel			
	Reflector	-			
	Dimension : LxWxH(mm)	15 x 8 x 200-300(H)mm			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80	
	Luminous Flux	75lm / W			
Beam Angle	(Y)	110D			
Electrical	Input	Constant Current (350mA)			
	LED Power	3W			
Driver	Non-Dimmable	on / off			
	Dimmable	1-10V			
Protection	Protection Rating (IP)	IP20			
Accessories		-			

Ordering example : CL-993-C-HP-110D-927 (Chorem, 110D beam angle, Ra90, 2700K)

LED Showcase Lamp



Standard



Accessories

N/A

Features



ø11mm

Silver Sand



Adjustable

SPECIFICATIONS

Product Code		CL-999-X-HP-Y-927	CL-999-X-HP-Y-930	CL-999-X-HP-Y-940	CL-999-X-HP-Y-960
Luminaire	Finish (X)	Chorme	Black	Silver Sand	
	Material	Aluminium & Steel			
	Reflector	-			
	Dimension : LxWxH(mm)	12 x 20 x 100-300(H)mm (Adjustable)			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80	
	Luminous Flux	75lm / W			
Beam Angle	(Y)	110D			
Electrical	Input	Constant Current (350mA)			
	LED Power	3W			
Driver	Non-Dimmable	on / off			
	Dimmable	1-10V			
Protection	Protection Rating (IP)	IP20			
Accessories		-			

Ordering example : CL-999-C-HP-110D-927 (Chorme, 110D beam angle, Ra90, 2700K)


LED Showcase Lamp



Standard
N/A

Accessories
N/A

Features



SPECIFICATIONS

Product Code		CL-987-L-X-HP- Y-927	CL-987-L-X-HP- Y-930	CL-987-L-X-HP- Y-940	CL-987-L-X-HP- Y-960
Luminaire	Finish (X)	Chorme	Black	Aluminum	
	Material	Aluminium & Steel			
	Reflector	-			
	Dimension : LxWxH(mm)	Dia. 6 x 297 (H)mm			
Light Source	Color Temperature (CCT)	2700K	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80	
	Luminous Flux	75lm / W			
Beam Angle	(Y)	100D			
Electrical	Input	Constant Current (350mA)			
	LED Power	2W			
Driver	Non-Dimmable	on / off			
	Dimmable	1-10V			
Protection	Protection Rating (IP)	IP20			
Accessories		-			

Ordering example : CL-987-L-C-HP-100D-927 (Chorem, 100D beam angle, Ra90, 2700K)

LED Showcase Lamp



Standard

N/A

Accessories

N/A

Features



Ø11mm

Black

Silver Sand

SPECIFICATIONS

Product Code		CL-921-C-X-HP-Y-930	CL-921-C-X-HP-Y-940	CL-921-C-X-HP-Y-960
Luminaire	Finish (X)	Black		Silver Sand
	Material	Aluminium & Steel		
	Reflector	-		
	Dimension : LxWxH(mm)	Dia. 24 x 295 (H)mm		
Light Source	Color Temperature (CCT)	3000K	4000K	6000K
	Color Rendering Index (CRI)	Ra≥90		Ra≥80
	Luminous Flux	75lm / W		
Beam Angle	(Y)	30D		
Electrical	Input	Constant Current (350mA)		
	LED Power	3W		
Driver	Non-Dimmable	on / off		
	Dimmable	1-10V		
Protection	Protection Rating (IP)	IP44		
Accessories		-		

Ordering example : CL-921-C-B-HP-30D-930 (Black, 30D beam angle, Ra80, 3000K)